


DEVELOPMENT BANK OF THE PHILIPPINES



REFERENCE BOOKLET

DBP DMGC BUILDING





FHC CONCEALED DOORS DETAILS

BACK ROOM




FHC CONCEALED DOORS DETAILS





"A" -- BASE DETAIL



FLUSH HOLLOW CORE (FHC) DOOR WITH LOUVER




"B" - JAMB DETAIL

"C" - HEAD AND PANEL DETAIL

FLUSH HOLLOW CORE (FHC) DOOR WITH LOUVER



CABINET CONNECTIONS DETAILS



TOILET MISCELLANEOUS DETAILS




WATER CLOSET



LAVATORY




FAUCET



URINAL W/ FLUSH VALVE, WHITE COLOR



SOAP DISPENSER




TISSUE HOLDER




CLOTHES HOOK

NOTE:
REFER TO TECHNICAL SPECIFICATIONS FOR THE COMPLETE DETAILS


TOILET FIXTURES REFERENCE PHOTOS




COUNTER
ATTACHED TO WALL




COUNTER
WITHOUT WALL ON BOTH SIDES




PANTRY COUNTER WITH
OVERHEAD CABINET SECTION







PERSPECTIVE

FORMS COUNTER





COUNTER TOP PLAN



DIAMETER: 2.5 INCHES

2.5 x 2.5 x 1.25

DIAMETER: 2


HEIGHT: VERIFY CEILING HEIGHT
(TOP TO BOTTOM INCLUDING THE
PORTION INSERTED ON THE BASE)
COLOR: WHITE

MINIMUM
VERIFY CEILING HEIGHT

HOLE DIAMETER: 2
(OR PREFERRED SIZE TO FIT THE POLE)

BASE HEIGHT: 12

COLOR WHITE:
SAME AS FLAG POLE




ELEVATION

2 DIA. HOLE OR
PREPARED SIZE TO
FIT THE POLE

ISOMETRIC

EMBOSSED DBP LOGO




SPECIFICATIONS:

MATERIAL : WOOD
COLOR : WHITE
PAINT : SEMI-GLOSS

FLAG MOUNTING INSTRUCTIONS:

GUNTUCKER SHOULD BE USED
WHEN MOUNTING THE FLAG
(DO NOT USE NAIL OR SCREW)



ITEM:

MATERIAL:

DIMENSION:


PHILIPPINE FLAG

(FOR INTERNAL DISPLAY) COTTON, DOUBLE EMBROIDERED,
BACK TO BACK

(FOR EXTERNAL DISPLAY) SILK MATERIAL
SINGLE OR DOUBLE PATCHING

70 INCHES(WIDTH) x 30 INCHES(HEIGHT)

PHILIPPINE FLAG DETAIL



LOGO DIMENSION: 6 INCHES
STRICTLY PERFECT SQUARE ON ALL SIDES


MATERIAL:
0.25 PLYWOOD(SMOOTH)
TO BE ATTACHED AS EMBOSSED IMAGE

LOGO SHOULD BE PLACED ON ALL 4 OF THE
POLE BASE AT EACH CENTER
(HORIZONTALLY & VERTICALLY)

"A" - DBP LOGO DETAIL


INTERIOR FLAGPOLE






ISOMETRIC


SANDBOX




ISOMETRIC




SECTION




REAR ELEVATION




TYP. SIDE ELEVATION






PLAN




INSIDE PLAN




INSIDE PLAN



SERVER TABLE




ISOMETRIC



ISOMETRIC


SPECIFICATION:

- H=950MM
- W=550MM
- D=580MM
- FRAMING & PANELLING GA#16
- 19 STANDARD OPENING
- PLEXIGLASS FRONT DOOR WITH LOCK
- DETACHABLE EXHAUST SIDE PANEL WITH LOCK
- FIXED TYPE BACK PANEL
- WITH VERTICAL CABLE MANAGER AT THE BACK
- 2 PCS. EXHAUST FAN AT THE TOP PANEL
- 2 PCS. VENTILLATING FAN AT THE BOTTOM PANEL
- HORIZONTAL POWERSTRIP 6 CONVINIENCE OUTLET 15AMPERES, 3PRONG, 220V (AT THE BOTTOM PART)
- WITH 20 PCS. CAGENUT & SCREWS
- BLACK POWDER COATED
- RACK SHELVES



PERSPECTIVE

TELLERS COUNTER ISOMETRIC



BOTTOM PLAN

TELLERS COUNTER (1200MM LENGTH)

1200 (MODULE LENGTH)

500

450

250

LINE OF VELCRO STRIP
FOR EASY REPLACEMENT
OF MAT

BACK

RUBBER MAT FOR
STAMPING (SHADED)

HPL COUNTERTOP WHITE MATTE FINISH
ON 20MM. THK. PLYWOOD

1-GANG POWER
OUTLET FOR BILLS
COUNTER & 1 GANG
SWITCH FOR CENTRALIZED
SWITCH

300

450

1000 (MODULE DEPTH)

GROMMET HOLE

50

350

75

100

130

PASSBOOK
PRINTER

MONITOR

FORMS RACK

LINE OF UPPER
COUNTER ABOVE

20MM. THK. PANEL
COUNTER SUPPORT
(TYP. TO 2)

VOID

FRONT


LINE OF COUNTER
EDGE ABOVE

20MM. THK. PLYWOOD
BACKING

10MM. THK. SOLID
SURFACE FINISH
WHITE COLOR


LOWER COUNTERTOP PLAN

TELLERS COUNTER (1200MM LENGTH)



UPPER COUNTERTOP PLAN


TELLERS COUNTER (1200MM LENGTH)



TELLERS COUNTER (1200MM LENGTH)




DBP
DEVELOPMENT BANK OF THE PHILIPPINES



SECTION ALONG LEG SPACE


TELLERS COUNTER (1200MM LENGTH)





"A" - SPOT DETAIL

"B" - SPOT DETAIL




"C" - SPOT DETAIL


TELLERS COUNTER SPOT DETAILS

NOTE :

USE 6MM. THK. CLEAR ACRYLIC FOR
ALL COMPONENTS OF PICOS TRAY




PLAN




SECTION


PICOS TRAY DETAILS




ISOMETRIC—FORMS RACK





MONEY COUNTER MODULE




BIOMETRICS STAND




PERSPECTIVE



GUARD'S PODIUM




We Build Possibilities.




PERSPECTIVE

POSTER STAND



NOTES:

1. VERIFY SIZE OF BROCHURE BEFORE FABRICATION OF ACRYLIC INSERTS.




ISOMETRIC OF
ACRYLIC INSERTS



PERSPECTIVE

NEW ACCOUNTS COUNTER




1200 (MODULE LENGTH)

LINE OF PULL-OUT
PVC KEYBOARD
BY GENCON

10MM. THK. SOLID SURFACE
FINISH COUNTERTOP WHITE
COLOR ON 20MM. THK.
PLYWOOD SUBSTRATE

BACK



900 (MODULE DEPTH)

221

FRONT


COUNTERTOP PLAN

60MM ϕ
PVC GROMMET


60MM ϕ
PVC GROMMET

NEW ACCOUNTS COUNTER (1200MM LENGTH)

1200 (MODULE LENGTH)




NEW ACCOUNTS COUNTER (1200MM LENGTH)





SECTION ALONG CPU

NEW ACCOUNTS COUNTER (1200MM LENGTH)



ISOMETRIC

BBG HEAD'S TABLE



BACK TABLE

50MM Ø GROMMET
WITH PLASTIC COVER

QUARTER GLASS

BLUE FABRIC PANEL

OPEN BOOKSHELF
(900 X 350)

2000

2000

1200

600

KEY BOARD
TRAY

METAL GRAY
MOBILE PEDESTAL

ISOMETRIC

SPECIFICATION:

- PARTITION**
- SHALL BE TILE-LOOKED SYSTEM
 - FABRIC PANEL COLOR BLUE
 - PARTITION SYSTEM ARE MODULAR INTERLOCKING
 - 22 GAUGE STEEL PANELS; THICKNESS SHALL BE 50-60MM AND TRIMMINGS SHALL BE MADE OF ALUMINUM ALLOY IN POWDER COATED FINISH COLOR GRAY.


PANEL RACEWAY SHALL BE HOLLOW FOR PURPOSE OF RUNNING COMMUNICATION CABLES AND ELECTRICAL WIRING THROUGH THE PANEL. IT SHALL BE MADE OF METAL POWDER COATED (GRAY) IN APPROVED FINISH. PROVIDE CONVENIENCE OUTLET PUNCH HOLE.

- WORK SURFACE**
- WORK SURFACE SHALL BE OF MELAMINE PARTICLE BOARD.
 - WORK SURFACES FOR THE COUNTER TOP WORKSTATION SHALL BE 25MM THK. EDGES SHALL BE PROVIDED WITH PVC EDGE BAND
 - PROVIDE GROMMETS ON EVERY WORKSTATIONS FOR EASY CABLING.


OVERALL DIMENSION:

MAIN WORKTOP : 1100 X 1100

SIDE RETURN : 900 X 600



PENTAGON-TYPE MODULAR WORKSTATION



SPECIFICATION:

- PARTITION**
- SHALL BE TILE-LOOKED SYSTEM
 - FABRIC PANEL COLOR BLUE
 - PARTITION SYSTEM ARE MODULAR INTERLOCKING
 - 22 GAUGE STEEL PANELS; THICKNESS SHALL BE 50-60MM AND TRIMMINGS SHALL BE MADE OF ALUMINUM ALLOY IN POWDER COATED FINISH COLOR GRAY.

PANEL RACEWAY SHALL BE HOLLOW FOR PURPOSE OF RUNNING COMMUNICATION CABLES AND ELECTRICAL WIRING THROUGH THE PANEL. IT SHALL BE MADE OF METAL POWDER COATED (GRAY) IN APPROVED FINISH. PROVIDE CONVENIENCE OUTLET PUNCH HOLE.

WORK SURFACE

- WORK SURFACE SHALL BE OF MELAMINE PARTICLE BOARD.
- WORK SURFACES FOR THE COUNTER TOP WORKSTATION SHALL BE 25MM THK. EDGES SHALL BE PROVIDED WITH PVC EDGE BAND.
- PROVIDE GROMMETS ON EVERY WORKSTATIONS FOR EASY CABLING.

OVERALL DIMENSION:

MAIN WORKTOP : 1500 X 600

SIDE RETURN : 900 X 450



DEVELOPMENT BANK OF THE PHILIPPINES

L-TYPE MODULAR WORKSTATION

50MM Ø GROMMET
WITH PLASTIC COVER

QUARTER GLASS

600

1500

BLUE FABRIC PANEL

BLUE FABRIC PANEL

1200

600

ISOMETRIC

METAL GRAY
MOBILE PEDESTAL

SPECIFICATION:

PARTITION

- SHALL BE TILE-LOOKED SYSTEM
- FABRIC PANEL COLOR BLUE
- PARTITION SYSTEM ARE MODULAR INTERLOCKING 22 GAUGE STEEL PANELS; THICKNESS SHALL BE 50-60MM AND TRIMMINGS SHALL BE MADE OF ALUMINUM ALLOY IN POWDER COATED FINISH COLOR GRAY.

PANEL RACEWAY SHALL BE HOLLOW FOR PURPOSE OF RUNNING COMMUNICATION CABLES AND ELECTRICAL WIRING THROUGH THE PANEL. IT SHALL BE MADE OF METAL POWDER COATED (GRAY) IN APPROVED FINISH. PROVIDE CONVEENIENCE OUTLET PUNCH HOLE .

WORK SURFACE


- WORK SURFACE SHALL BE OF MELAMINE PARTICLE BOARD.
- WORK SURFACES FOR THE COUNTER TOP WORKSTATION SHALL BE 25MM THK. EDGES SHALL BE PROVIDED WITH PVC EDGE BAND
- PROVIDE GROMMETS ON EVERY WORKSTATIONS FOR EASY CABLING.

OVERALL DIMENSION:

MAIN WORKTOP : 1500 X 600



STAND ALONE MODULAR WORKSTATION




DESCRIPTION	BLACK LEATHERETTE CUSHION SEAT WITH MOLDED FOAM-CUSHIONE UPHOLSTERED BACK REST; GAS LIFT; CHROME ARM REST; FIVE (5) LEGGED METAL CHROME BASE WITH TWIN CASTER; TILTING/SWIVEL MECHANISM.
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO AND EXISTING MID-BACK CHAIR ON SITE • PROVIDE BROCHURE FOR DBP APPROVAL

HIGH-BACK CHAIR




We Build Possibilities.






DESCRIPTION	FABRIC MOULDED FOAM-CUSHION UPHOLSTERED SEAT AND BACK REST; GAS LIFT; WITH ARM REST; FIVE (5) LEGGED NYLON STAR BASE WITH TWIN CASTER; TILTING/SWIVEL MECHANISM.
COLOR	BLUE
SEAT	MINIMUM OF 500mm x 584mm (D) x 762mm (H)
BACKREST	MINIMUM OF 420mm x 420mm
HEIGHT	MINIMUM OF 901mm (ADJUSTABLE)
SIZE TOLERANCE	± 25.4mm IN EITHER DIRECTION
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL.

MID-BACK CHAIR




We Build Possibilities.






DESCRIPTION	FABRIC MOULDED FOAM-CUSHION UPHOLSTERED SEAT AND BACK REST; WITHOUT ARM REST; GAS LIFT; TILTING/SWIVEL MECHANISM; FIVE-LEGGED WITH FOOT RING; FIXED BASE
COLOR	BLUE
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL.

TELLER'S CHAIR



We Build Possibilities.




DESCRIPTION	FABRIC MOULDED FOAM-CUSHION UPHOLSTERED SEAT AND BACK REST; WITHOUT ARM REST; GAUGE 18 STEEL WITH 5/8" ROUND-TUBULAR CONSTRUCTION CHROME FINISH (SLED TYPE LEG) AND POLY FLOOR GLIDES.
COLOR	BLUE
DIMENSIONS	MINIMUM OF 584mm (W) x 584mm (D) x 762mm (H)
SEAT	MINIMUM OF 420mm x 420mm
FOAM THICKNESS	1.5 inches
SIZE TOLERANCE	± 25.4mm IN EITHER DIRECTION
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL.

VISITOR'S CHAIR




We Build Possibilities.






DESCRIPTION	LEATHERETTE MOULDED FOAM-CUSHION SEAT; WITHOUT ARM REST AND BACK REST; 1" x 1" TUBULAR STEEL FRAME IN POWDER COATED FINISH MATTE SILVER
COLOR	BLACK
DIMENSIONS	330mm x 330mm
HEIGHT	460mm
FOAM THICKNESS	2 inches
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL.

PANTRY CHAIR



We Build Possibilities.




DESCRIPTION	4-SEATER GANG CHAIR; LEATHERETTE MOULDED FOAM-CUSHION UPHOLSTERED BACKREST AND SEAT; 1.4mm THICKNESS PERFORATED METAL SEATS SPRAYED WITH STATIC POWDER AFTER ANTI RUST TREATMENT; WITH ARMREST AND STEEL FRAME LEGS.
COLOR	BLACK LEATHERETTE AND MATTE SILVER FOR THE STEEL BASE
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL.

4-GANG CHAIR



We Build Possibilities.




DESCRIPTION	THREE (3) DRAWERS, GAUGE #22 STEEL COMPONENT IN POWDER COATED FINISH WITH CENTRAL LOCKING MECHANISM, PLASTIC PENCIL TRAY, DIVIDERS, AND BALL CASTERS FOR MOBILITY.
COLOR	LIGHT GRAY
DIMENSIONS	400mm (L) x 560mm (W) x 660mm (H)
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL. • TURN-OVER KEYS TO DBP UPON DELIVERY (2 SETS).

MOBILE PEDESTAL




We Build Possibilities.




DESCRIPTION	THREE (3) DRAWERS, COLD-ROLLED STEEL PLATE, GAUGE #20, PACKED WITH POLYFOAM INNER LINING AND MULTILAYER. SURFACE TREATMENT WITH DURABLE EPOXY POWDER AND POWDER COATING FINISHED, AND WITH CENTRAL LOCK MECHANISM.
COLOR	LIGHT GRAY
DIMENSIONS	900mm (L) x 450mm (W) x 1060mm (H)
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL. • TURN-OVER KEYS TO DBP UPON DELIVERY (2 SETS).

3-LAYERED LATERAL FILING DRAWER




We Build Possibilities.




DESCRIPTION	30MM THICK MDF COUNTERTOP IN HIGH PRESSURE LAMINATE (HPL) FINISH WITH PVC EDGING AND STEEL FRAME LEG (HAIRLINE FINISH).
COLOR	LIGHT GRAY
DIMENSIONS	900mm TO 1200mm DIAMETER
NOTES	• DESIGN SHOULD BE SIMILAR AS ATTACHED PHOTO • PROVIDE BROCHURE FOR DBP APPROVAL.

RECEIVING/ROUND TABLE



We Build Possibilities.




STANDARD OVER-ALL DIMENSION
72HEIGHT X 36WIDTH X 18DEPTH
WITH LOUVERS,ALUMINUM CARD HOLDER,
LOCK HASP & CHROME PLATED HANDLE
ON EACH DOOR
BEIGE COLOR


DOOR SIZE: 20H X 10W
WITH HANGER ROD, TOP
& BOTTOM SHELF

STEEL LOCKER (9 HOLES)

BOLTLESS AND ADJUSTABLE SHELVING SYSTEM





ADJUSTABLE STEEL SHELVES




MATERIAL SPECIFICATION

1. DBP LOGO
SCOTCHCAL COMPUTER-CUT FILM TO BE
INSTALLED AT THE FRONT OF THE GLASS DOOR PANEL.
2. COLOR
A. DBP LOGO -- WHITE
B. ALL DECALS -- WHITE
3. FONT
• DBP -- FRIZ QUADRATA
• We Build Possibilities
"We Build" -- HELVETICA LIGHT
"Possibilities" -- HELVETICA BOLD
• BRANCH NAME -- HELVETICA BOLD
• AUTHORIZED BY THE BANGKO SENTRAL NG PILIPINAS
"AUTHORIZED BY THE" -- HELVETICA LIGHT
"BANGKO SENTRAL NG PILIPINAS" -- HELVETICA BOLD
• BANKING HOURS -- HELVETICA BOLD


MEASUREMENT IN MILLIMETER



MEASUREMENT IN MILLIMETER



BACK




FRONT

SPECIFICATION	6MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING PROVIDE SUCTION CUP AND CHAIN STRING
LOCATION	DOOR ENTRY

COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA
--

OPEN/CLOSE

MEASUREMENT IN MILLIMETER




6MM THICK SINTRA BOARD PROVIDE SUCTION CUPS
COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED
FONT STYLE: HELVETICA


ATM SCREEN

TEMPORARILY UNAVAILABLE

MEASUREMENT IN MILLIMETER



DOUBLE SIDED
ADHESIVE TAPE



BACK

4.5MM THK. ACRYLIC (ROUNDED EDGES)
BACK SIDE ACRYLIC PRINTING
WITH DOUBLE SIDED ADHESIVE TAPE


COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED
FONT STYLE: HELVETICA

CUBICLE/DOOR

AUTHORIZED PERSONNEL ONLY





MEASUREMENT IN MILLIMETER




SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE	COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA
LOCATION	WALL	

MEASUREMENT IN MILLIMETER



DOUBLE SIDED
ADHESIVE TAPE



SPECIFICATION




4.5MM THK. ACRYLIC (ROUNDED EDGES)
BACK SIDE ACRYLIC PRINTING
WITH DOUBLE SIDED ADHESIVE TAPE

COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED
FONT STYLE: HELVETICA





LOCATION

TELLERS' COUNTER



TELLERS' COUNTER NUMBERS


MEASUREMENT IN MILLIMETER				 ISOMETRIC	
 SIDE					
SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING		COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION	TELLERS' COUNTER				
TELLERS ARE NOT ALLOWED CUSTODY OF PASSBOOK (STANDEE)					
 DEVELOPMENT BANK OF THE PHILIPPINES					

MEASUREMENT IN MILLIMETER		291 100 PLEASE COUNT YOUR MONEY BEFORE LEAVING		ISOMETRIC 75° 100 75 ACRYLIC SHEET VERIFY THICKNESS REQUIRED SIDE	
SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING			COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA	
LOCATION	TELLERS' COUNTER				
PLEASE COUNT YOUR MONEY BEFORE LEAVING (STANDEE)					
RDBP DEVELOPMENT BANK OF THE PHILIPPINES					



MEASUREMENT IN MILLIMETER			 ISOMETRIC
 SIDE		SPECIFICATION 3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING LOCATION TELLERS' COUNTER COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA	
CLEARING CUT-OFF TIME (STANDEE)		 DEVELOPMENT BANK OF THE PHILIPPINES	

MEASUREMENT IN MILLIMETER






SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING	COLOR: 3630—157 SULTAN BLUE, 3630—73 DARK RED FONT STYLE: HELVETICA
LOCATION	TELLERS COUNTER	
PRIORITY LANE (STANDEE)		
		 DEVELOPMENT BANK OF THE PHILIPPINES

MEASUREMENT IN MILLIMETER




SIDE



SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING		COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA
LOCATION	TELLERS COUNTER		
PUBLIC ASSISTANCE HELP DESK (STANDEE)			
			 DEVELOPMENT BANK OF THE PHILIPPINES

MEASUREMENT IN MILLIMETER				 ISOMETRIC	
		 SIDE			
SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING		COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA		
LOCATION			NEW ACCOUNTS		
NEW ACCOUNTS SECTION (STANDEE)			 DEVELOPMENT BANK OF THE PHILIPPINES		

MEASUREMENT IN MILLIMETER



DOUBLE SIDED
ADHESIVE TAPE



SPECIFICATION
4.5MM THK. ACRYLIC (ROUNDED EDGES)
BACK SIDE ACRYLIC PRINTING
WITH DOUBLE SIDED ADHESIVE TAPE





COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED
FONT STYLE: HELVETICA

LOCATION



BBG HEAD'S OFFICE

BBG HEAD

MEASUREMENT IN MILLIMETER	
500 DBP DOLLAR - PESO EXCHANGE RATE JUN 22 , MON BUYING 45.25 SELLING 48.25 730	
FRONT	
500 EQ. 460 EQ. DBP LOGO PESO DOLLAR EXCHANGE RATE J A N , 1 0 , M O N BUYING 4525 SELLING 4850 90 50 50 50 20 20 20 20 100 145 588 730 20 20 20 20 145 100 30 ALUMINUM CLIP WOOD SCREW	
SECTION	
SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) WITH DATE AND NUMBER INSERTS PROVIDE ALUMINUM CLIP/SCREW
LOCATION	WALL
PESO-DOLLAR EXCHANGE RATE BOARD	
DBP DEVELOPMENT BANK OF THE PHILIPPINES	

MEASUREMENT IN MILLIMETER	
	
	
	
SIDE	
SPECIFICATION	4.5MM THK. ACRYLIC (ROUNDED EDGES) WITH DATE AND NUMBER INSERTS
LOCATION	TOP OF SLIP FORM COUNTER
DATE BOARD (STANDEE)	
	

MEASUREMENT IN MILLIMETER



SIDE

4.5MM THK. ACRYLIC (ROUNDED EDGES)
WITH DATE AND NUMBER INSERTS


COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED
FONT STYLE: HELVETICA

TOP OF SLIP FORM COUNTER

DATE BOARD (STANDEE)



MEASUREMENT IN MILLIMETER



(NOTE: INDIVIDUAL ACRYLIC)


4.5MM THK. ACRYLIC (ROUNDED EDGES)
BACK SIDE ACRYLIC PRINTING
WITH DOUBLE SIDED ADHESIVE TAPE

COLOR: 3630--157 SULTAN BLUE, 3630--73 DARK RED
FONT STYLE: HELVETICA


WALL/RESTROOM DOOR

RESTROOMS (3 ICONS)

MEASUREMENT IN MILLIMETER



DOUBLE SIDED
ADHESIVE TAPE



BACK


SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE
LOCATION	WALL NEAR FAUCETS

COLOR: 3630–157 SULTAN BLUE, 3630–73 DARK RED
FONT STYLE: HELVETICA


PLEASE CONSERVE WATER



MEASUREMENT IN MILLIMETER




DOUBLE SIDED
ADHESIVE TAPE




BACK

SPECIFICATION	3MM THK. ACRYLIC (ROUNDED EDGES) BACK SIDE ACRYLIC PRINTING WITH DOUBLE SIDED ADHESIVE TAPE			COLOR: 3630-157 SULTAN BLUE, 3630-73 DARK RED FONT STYLE: HELVETICA
LOCATION	WALL NEAR LIGHT SWITCHES			
TURN OFF LIGHTS				 DEVELOPMENT BANK OF THE PHILIPPINES




BULLETIN BOARD
ELEVATION


Slab ID	Along Short Span			Along Long Span		
	Bottommost	Topmost		Bottom	Top	
	Continuous	Near Support (0.3L)	Continuous	Continuous	Near Support (0.3L)	Continuous
S-1	12mm @ 175mm	12mm @ 200mm		12mm @ 175mm	12mm @ 200mm	
S-2	12mm @ 200mm	12mm @ 200mm		12mm @ 200mm		
S-3	12mm @ 175mm	12mm @ 200mm		12mm @ 200mm		
S-4	12mm @ 175mm		12mm @ 175mm	12mm @ 175mm		12mm @ 175mm




NOTE:
1. SPLICING SHALL BE DONE AT THE SUPPORT/S




FLOOR PLAN




DECK PLAN




FRONT ELEVATION



LEFT SIDE ELEVATION




RIGHT SIDE ELEVATION




REAR ELEVATION


GUARD HOUSE




SECTION (FACING OPENING)



SECTION (INTERIOR)





TILING LAYOUT




CEILING LAYOUT

GUARD HOUSE




PIPING CONNECTION DETAIL


USE: 1-1/2" x 1 1/2" x 1/4" THK. ANGLE BAR
WITH PAINT FINISH




TYPE A
OUTDOOR UNIT



TYPE B
OUTDOOR UNIT





TYPE C
OUTDOOR UNIT




TYPE D
INDOOR UNIT

NOTE:
PROVIDE 2 COATS OF PRIMER FIN & 2
COATS OF FINAL PAINT FINISH FOR STEEL
ANGLE SUPPORT


ISOMETRIC EQUIPMENT SUPPORT



ELECTRO-MECHANICAL ROOM




FRONT ELEVATION




RIGHT/LEFT SIDE ELEVATION

ELECTRO-MECHANICAL ROOM



ZEBRA PAINT FINISH
(YELLOW AND BLACK)



CONCRETE CAR STOPPER